


6	Sculling Oars	Smoothie 2 Vortex Edge	Nos	40	4421	INSCC (K)	
7	Sweep Oars	Smoothie 2 Vortex Edge	Nos	20	4421	INSCC (K)	
8	Rowing Ergometer RP3- (Row Perfect)	<p><b>Dimensions</b> (240cm (l), 50 cm (b) 80 cm (h) weight 34 kg and maximum weight 195 kg and made of</p> <p>Materials - Brushed Stainless Steel  (ii)  Aluminum - Delrin HMPE Plastics  (iii)  Accessories:- USB Cable, Toolset, Software  (iv)  Machine should connect and make a two a four an eight</p> <p>Stroke Watch Coach with Surge rate (includes quick wrap dock)</p>	Nos	8	9506	INSCC (K)	
9	Stroke Watch Coach		Nos	21	9101	INSCC (K)	



3	<b>Double Sculls (2x)</b> <b>(Medium Weight)</b> Boat Length: 9.60 mt. Boat Width: 36.2cm Boat weight (Min): 27 Kg Wt range : 75-85 Kg	(i) Constructed with 100% carbon with honeycomb sandwich (ii) Materials - Carbon with Nomex Honeycomb Wing Riggers - Aluminum (iv) Oarlocks - Nylon Washer for height - 5mm thick aluminum washer (vi) Oarlock height adjustable - Oarlock adjustment bushing (vii) Span adjustable - Stainless Steel with aluminum foot (viii) Fin/Rudder - Aluminum Anodized stretcher adjustable - Carbon Footplate adjustable (x) Shoes - Standard 11 (xi) Seat - Carbon -9.60mt.(xiii) Boat Width -36.2cm (Min) - 27 Kg (xv) Weight Range- 75-85 Kg (xvi) Bow ball fitted - Protective Bow ball fitted number plate	Nos	4	8903	INSCC (K)
4	<b>Coxless Four (4-)</b> Boat Length: 11.70 mt. Boat Width: 48.0cm Boat weight (Min): 50 Kg Weight range : 60-85 Kg	(i) Constructed with 100% carbon with honeycomb sandwich (ii) Materials - Carbon with Nomex Honeycomb Wing Riggers - Aluminum (iv) Oarlocks - Nylon Washer for height - 5mm thick aluminum washer (vi) Oarlock height adjustable - Oarlock adjustment bushing (vii) Span adjustable - Stainless Steel with aluminum foot (viii) Fin/Rudder - Aluminum Anodized stretcher adjustable - Carbon Footplate adjustable (x) Shoes - Standard 11 (xi) Seat - Carbon -11.70mt.(xiii) Boat Width -48.0cm (Min) - 50 Kg (xv) Weight Range- 60-85 Kg (xvi) Bow ball fitted - Protective Bow ball fitted number plate	Nos	3	8903	INSCC (K)
5	Quad Sculls	(i) Constructed with 100% carbon with honeycomb sandwich (ii) Materials - Carbon with Nomex Honeycomb Wing Riggers - Aluminum (iv) Oarlocks - Nylon Washer for height - 5mm thick aluminum washer (vi) Oarlock height adjustable - Oarlock adjustment bushing (vii) Span adjustable - Stainless Steel with aluminum foot (viii) Fin/Rudder - Aluminum Anodized stretcher adjustable - Carbon Footplate adjustable (x) Shoes - Standard 11 (xi) Seat - Carbon -11.70mt. (xiii) Boat Width -48.0cm (Min) - 52 Kg (xv) Weight Range- 60-85 Kg (xvi) Bow ball fitted - Protective Bow ball fitted number plate	Nos	2		INSCC (K)

**Appendix 'A'**  
**TO RFP INSCB/1098/ROWING/17-18** **7** **AUG 18**

**SCHEDULE 'A' TO INSCB TENDER NO INSCB/1098/ROWING/18-19 DATED 17 AUG 18**

<b>SL.</b>	<b>Name of Items</b>	<b>Metrial / Technical Specification</b>	<b>Denom</b>	<b>Qty</b>	<b>HSN Code</b>	<b>Delivery Unit</b>	<b>BID YES/ NO</b>
1	<b>SINGLE SCULL (1x)</b> (Medium Weight) Boat Length: 7.96 mt. Boat Width: 29.5cm Boat Weight (Min): 14 Kg Weight range:70-85kg	(i) Constructed with 100% carbon with honeycomb sandwich (ii) Materials - Carbon with Nomex Honeycomb Wing Riggers - Aluminium (iv) Oarlocks - Nylon Washer for height - 5mm thick aluminum washer (vi) Oarlock height adjustable - Oarlock adjustment bushing (vii) Span adjustable - Stainless Steel with aluminum foot (viii) Fin/Rudder - Aluminium Anodized stretcher adjustable - Carbon Footplate adjustable (x) Shoes - Standard 11 (xi) Seat - Carbon -7.96mt. (xiii) Boat Width -29.5cm (xiv) Boat Length (Min) - 14 Kg (xv) Weight Range- 70-85 Kg (xvi) Bow ball fitted - Protective Bow ball fitted (xvii) Stand - Fitted number plate	Nos	8	8903	INSCC (K)	
2	<b>Coxless Pair (2-)</b> (Medium Weight) Boat Length: 9.60 mt. Boat Width: .36.2 cm. Boat weight (Min): 27 Kg Wt range: 75-85 kg	(i) Constructed with 100% carbon with honeycomb sandwich (ii) Materials - Carbon with Nomex Honeycomb Wing Riggers - Aluminium (iv) Oarlocks - Nylon Washer for height - 5mm thick aluminum washer (vi) Oarlock height adjustable - Oarlock adjustment bushing (vii) Span adjustable - Stainless Steel with aluminum foot (viii) Fin/Rudder - Aluminium Anodized stretcher adjustable - Carbon Footplate adjustable (x) Shoes - Standard 11 (xi) Seat - Carbon -9.60mt. (xiii) Boat Width -36.2cm (xiv) Boat Length (Min) - 27 Kg (xv) Weight Range- 75-85 Kg (xvi) Bow ball fitted - Protective Bow ball fitted (xvii) Stand - Fitted number plate	Nos	4	8903	INSCC (K)	

*[Handwritten signature]*  
**17/8/18**